

PTO/SB/08B (10-96) Please type a plus sign (+) inside this box →




Approved for use through 10/31/99. OMB 0651-0031

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>  (use as many sheets as necessary)				<b>Complete if Known</b>	
				Application Number	10/004,627
				Filing Date	December 4, 2001
				First Named Inventor	Howard M. Kingston
				Group Art Unit	2881
				Examiner Name	
Sheet	1	of	1	Attorney Docket Number	286697-00002-1

Examiner Initials*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
* JH		FASSETT et al., <i>Determination of Nanogram Quantities of Vanadium in Biological Material by Isotope Dilution Thermal Ionization Mass Spectrometry with Ion Counting Detection</i> , Anal. Chem. (November 1985), pp. 2474-2478, V57, No. 13.	
* JH		FASSETT et al., <i>Isotope Dilution Mass Spectrometry for Accurate Elemental Analysis</i> , Anal. Chem. (May 15, 1989), pp. 643A-649A V61, No. 10.	
* JH		VIEZIAN et al., <i>On-line Isotope Dilution and Sample Dilution by Flow Injection and Inductively Coupled Plasma Mass Spectrometry</i> , J. Anal. Atom. Spectro. (April 1990), pp. 125-133, V5.	
* JH		ROTTMANN et al., <i>Determination of Heavy Metal Interactions with Dissolved Organic Materials in Natural Aquatic Systems by Coupling a High-Performance Liquid Chromatography System with an Inductively Coupled Plasma Mass Spectrometer</i> , Anal. Chem. (November 1, 1994), pp. 3709-3715, V66.	
* JH		HEUMANN et al., <i>Elemental Speciation with Liquid Chromatography-Inductively Coupled Plasma Isotope Dilution Mass Spectrometry</i> , J. Anal. Atom. Spectro. (December 1994), pp. 1351-1355 V9.	
* JH		HORN et al., <i>Comparison of heavy metal analyses in hydrofluoric acid used in microelectronic industry by ICP-MS and thermal ionization isotope dilution mass spectrometry</i> , Fresenius J. Anal. Chem (1994), pp. 286-292, V350.	
* JH		ROTTMANN et al., <i>Development of an on-line isotope dilution technique with HPLC/ICP-MS for the accurate determination of elemental species</i> , Fresenius J. Anal. Chem. (1994), pp. 221-227, V350.	
* JH		COLE, <i>Electrospray Ionization Mass Spectrometry: Fundamentals, Instrumentation and Applications</i> , John Wiley & Sons, Inc. (1997), New York.	
* JH		STEWART, <i>Electrospray mass spectrometry: a tool for elemental speciation</i> , Spectrochimica, Acta. (1999), pp. 1649-1695, Part-B, Vol. 54.	
* JH		<i>International Technology Roadmap for Semiconductors 1999 Edition: Defect Reduction</i> , Sematech, Austin, TX, pp. 269-293.	
* JH		NEWTON et al., <i>Analysis of Copper Plating Baths – Suppressors and Levelers</i> , Electrochemical Society Proceedings, pp. 1-5, V2000-27.	

		10/004,627
Examiner Signature: <i>[Signature]</i>		Date Considered: 2-6-03

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Unique citation designation number. <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

+

+

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

**Complete if Known**

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

*(use as many sheets as necessary)*

Sheet 1 of 1

<b>Application Number</b>	10/004,627
<b>Filing Date</b>	December 4, 2001
<b>First Named Inventor</b>	Howard M. Kingston
<b>Group Art Unit</b>	2881
<b>Examiner Name</b>	
<b>Attorney Docket Number</b>	286697-00002-1

## OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS

[illegible]

RECEIVED	NOV -5 2002	JC 2800 MAIL ROOM
----------	-------------	-------------------

Examiner  
Signature

David P. Wright

Date  
Considered

2/5/03

\*EXAMINER: Initial reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Unique citation designation number. <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached.

**Burden Hour Statement:** This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.**

+